



Cable clip



ORM

[VIEW IN BROWSER](#)

updated 2. 3. 2024 | published 2. 3. 2024

Summary

Cable clips for installation under the overhang of the roof.

[Hobby & Makers](#) > [Organizers](#)

Tags: [cable](#) [clip](#) [clamp](#) [cableclip](#) [cableclamp](#)

This is a cable clip that can be used in the corner between the wall and the roof overhang where it can be difficult to install with standard cable clips.

I made a couple of variants of the cable clip, one for a 20 degree roof pitch, one for a 30 degree pitch and a standard cable clamp for normal wall mounting.

Installation

The cable clip is intended to be used for a cable with a diameter of 10 mm and with a countersunk screw with a diameter of 3 - 4 mm.

Printing and print settings

Print the clips lying on their sides for best results. In the model files, the parts are orientated in the direction best suited for printing. Use e.g. PETG for printing with a layer height of 0.2mm or less and a nozzle width of


0.4mm or less. A wall thickness of at least 3 lines and an infill of 25%. A support structure for the screw hole is recommended for the printing.

Feedback is always good, if you want to encourage me or other designers to make more models, hit like and/or post your makes. If something is not good or if something is missing and can be improved, leave a comment.

Model files



cable-clip.3mf



cable-clip-20-deg.3mf



cable-clip-30-deg.3mf

License

This work is licensed under a
[Creative Commons \(4.0 International License\)](https://creativecommons.org/licenses/by-nc/4.0/)



Attribution-NonCommercial

-
- ✗ | Sharing without ATTRIBUTION
 - ✓ | Remix Culture allowed
 - ✗ | Commercial Use
 - ✗ | Free Cultural Works
 - ✗ | Meets Open Definition